

a' Fig. 11 is a view showing the result of the fluorescence imaging of fluorescence ratio (F340/F380) of intracellular sodium ion and extracellular calcium ion in nerve cells of subfornical organs prepared from wild-type mice and Nav2 gene-deficient mice.

---

**IN THE CLAIMS:**

---

a<sup>2</sup> Claim 13. (Amended) The fusion protein according to claim 12, wherein the protein acting as a sensor of extracellular sodium ion level is comprised of an amino acid sequence shown in Seq. ID No. 3.

---

a<sup>2</sup> Claim 15. (Amended) The antibody according to claim 14, wherein the protein acting as a sensor of extracellular sodium ion level is comprised of an amino acid sequence shown in Seq. ID No. 3.

---

a<sup>2</sup> Claim 16. (Amended) The antibody according to claim 14, wherein the antibody is a monoclonal antibody.

---

a<sup>3</sup> Claim 18. (Amended) The host cell according to claim 17, wherein the protein acting as a sensor of extracellular sodium ion level is comprised of an amino acid sequence show in Seq. ID No. 3.

---

a<sup>4</sup> Claim 20. (Amended) The transgenic non-human animal according to claim 19, wherein the protein acting as a sensor of extracellular sodium ion level is comprised of an amino acid sequence shown in Seq. ID No. 3.

---

Claim 21. (Amended) The transgenic non-human animal according to claim 19, wherein the non-human animal is a mouse or a rat.

---

**E**

a. 6

Claim 27. (Amended) A medical compound used for curing patients who need suppression of the function or the expression of a protein acting as a sensor of extracellular sodium ion level, and containing the protein according to claim 9 as its effective components.

Q6

Claim 29. (New) The antibody according to claim 14, wherein the protein acting as a sensor of

extracellular sodium ion level which is comprised of amino acid sequence where one or a few amino acids are deficient, substituted, or added, in amino acid sequence shown in Seq. ID No. 3.

Claim 30. (New) The host cell according to claim 17, wherein the protein acting as a sensor of extracellular sodium ion level which is comprised of amino acid sequence where one or a few amino acids are deficient, substituted, or added, in amino acid sequence shown in Seq. ID No. 3.

Q<sup>6</sup>  
T03030"E5902660  
Claim 31. (New) The transgenic non-human animal according to claim 19, wherein the protein acting as a sensor of extracellular sodium ion level which is comprised of amino acid sequence where one or a few amino acids are deficient, substituted, or added, in amino acid sequence shown in Seq. ID No. 3.

Claim 32. (New) A method of screening a material that promotes or suppresses the function or the expression of a protein acting as a sensor of extracellular sodium ion level characterized in using the non-human animal according to claim 19, and a subject material.

Claim 33. (New). A medical compound used for curing patients who need promotion of the function or enhancement of the expression of a protein acting as a sensor of extracellular sodium ion level, and containing the material that promotes the function or the expression of a protein acting as a sensor of extracellular sodium ion level according to claim 25 as its effective components.

Claim 34. (New) A medical compound used for curing patients who need suppression of the function or the expression of a protein acting as a sensor of extracellular sodium ion level, and containing the material that suppresses the function or the expression of a protein acting as a sensor of extracellular sodium ion level according to claim 25 as its effective components.

---